

At Tiki.org :

Project

Software

Try Tiki

Get Tiki

Help

Get Involved

News

Featured Tikis

Register!

Themes

Log in

Home Page

Tiki Customization

Feature Examples

Find

Updating a Theme for Tiki 26

Tiki 26 uses Bootstrap 5.3, which introduces color modes, the ability to have web pages respond to the browser color preference, if set, and to the user choice by means of a switch on the page. Because the color modes are using CSS custom properties (CSS variables), the color change is instant — no need for a page refresh. Themes made for previous versions of Tiki need some specific updating to take advantage of this feature.

For background, see <https://getbootstrap.com/docs/5.3/customize/color/> and <https://getbootstrap.com/docs/5.3/customize/color-modes/>. For more about CSS variables, please see [CSS Variables in Tiki](#).

Procedure used for the Tiki package themes

To update a theme for Bootstrap 5.3 and color modes, these steps are suggested. This is what was done to update the themes in the Tiki package.

- Add the default `_variables-dark.scss` file to the theme's scss directory
- The dark-mode colors may be adjusted in the future, to optimize or enhance for each theme, but for now the variables have the default value.
- Edit the theme's main file (themenamename.scss, etc.) to add the import statement for `_variables-dark.scss`, just after `_variables.scss`.
- To enable color mode switching of the top and topbar module zones and the Unified Admin Backend pages, add `@import "../base_files/scss/_tiki-pagetop_colors.scss";` after the import statement for `../base_files/scss/_tiki-selectors.scss`.
- The theme will need a `scss/_css-variables.scss` file for color mode switching to work.
- The CSS variables file contains rules mainly for the top and topbar sections of pages, as well as for the Unified Admin Backend screens.
- Depending on how the author organizes the theme files, the content of `_css-variables.scss` don't have to be in that specific file as long as the variables are defined properly.
- It's probably easiest to copy the `_css-variables.scss` file from another Tiki 26 theme for the new theme. Note that the variables are defined in different ways in the various themes, and either use color values directly or refer to other variable definitions for colors, etc. These other variables might need to be defined in the theme being updated.

With the new files added and their import statements added, the next step is to compile the theme, but there will be errors due to undefined variables. These are variables that typically need to be in the

variables.scss file and properly defined:

Variable name	Default value	Variables file section	Used for
\$prefix	-bs	Options	Used for :root CSS variables
\$link-shade-percentage	20%	Links	Calculation of hover color relative to link color (this is the default, replacing the specifying of a hover color).
\$code-color	\$body-color (was \$pink)	Code	The text color of code examples, etc. Many of Tiki's packaged themes didn't have this specified but it's necessary.
\$pink	#d63384	Color system (formerly Colors)	Needed for \$code-color (if \$code-color: \$pink). UPDATE: The default code color was changed from pink to whatever the theme's body color (\$body-color) is, so \$pink no longer needs to be present or defined.
\$green-300	tint-color(\$green, 40%)	Color system	Form validation text - valid
\$green	#198754	Color system	Needed for \$green-300.
\$red-300	tint-color(\$red, 40%)	Color system	Form validation text - invalid
\$red	#dc3545	Color system	Needed for \$red-300.

The theme should compile after all these variables are in the theme's variables file.

Update: . A change was made in each theme's top SCSS file (ex: amelia.scss) to fix the problem of missing new Bootstrap variable definitions [last November](#). This change adds an import statement for the default Bootstrap variables and variables-dark along with their values, following the theme's own variables files. Coming first, the theme variables files specify the theme values, then the default file adds any missing ones, so it should cover cases like \$mark-color-dark, which was added in a point upgrade of Bootstrap, and the stylesheet should compile, or if it doesn't. it's not because of an undefined variable. Note that the new variables will have the default Bootstrap value which may or may not be appropriate for the theme; if not, the variable should be copied to the theme's variables (or variables-dark) file and redefined.

A typical themename.scss file now looks like this:

```
@import "../base_files/scss/_tiki-bootstrap_functions"; @import "../scss/variables"; // Needs to come first, to override Bootstrap defaults. @import "../default/scss/variables"; // Bootstrap default variables, with a few Tiki overrides @import "../scss/variables-dark"; // New in Bootstrap 5.3 @import "../default/scss/variables-dark"; // Bootstrap dark mode default variables @import "../base_files/scss/_tiki-variables.scss"; // Values/definitions for Tiki variables (outside of Bootstrap variables) such as _tiki-selectors.scss. @import "../base_files/scss/_tiki-bootstrap_layout_and_components"; @import "../scss/css-variables"; // Needs to be loaded after default variables to override them @import "../base_files/scss/_tiki-selectors.scss"; @import "../base_files/scss/_tiki-pagetop_colors.scss"; // Import if needed (almost always) to specify top and topbar zone colors in more detail @import "../scss/_tiki-selectors.scss"; @import "../base_files/scss/_external-scripts.scss"; @import "../base_files/scss/_select2-tiki_colors.scss";
```

For more complete color mode switching, these variables may also need to be defined:

\$popover-bg	var(--#{\$prefix}body-bg)	Popovers	This and the following need to be defined for popovers to respond to color mode switching.
\$popover-border-color	var(--#{\$prefix}border-color-translucent)	Popovers	
\$popover-header-bg	var(--#{\$prefix}secondary-bg)	Popovers	
\$popover-header-color	\$headings-color	Popovers	
\$popover-body-color	var(--#{\$prefix}body-color)	Popovers	
\$headings-color	inherit	Typography	Needed for popover heading color.

Troubleshooting

After the above changes are made in the theme and it's compiling ok, there may be variable definitions or CSS rules interfering with color mode changes.

Check the theme's `_tiki-selectors.scss` file for CSS like this: `body { background: #fff url('#{$imagePath}grey-bg.png') repeat-x; }`. In this example, *light* mode will be ok, but *dark* mode will continue to apply this rule rather than the alternative dark background specified by `$body-bg-dark` (in `_variables-dark.scss`). Updating the rule to `body { background: var(--bs-body-bg) url('#{$imagePath}grey-bg.png') repeat-x; }` will probably solve the problem.

(More details coming.)