

At Tiki.org :
Project
Software
Try Tiki
Get Tiki
Help
Get Involved
News
Featured Tikis
Register!

Themes
Log in
Home Page
Tiki Customization
Feature Examples

Find
Bootstrap Components

Bootstrap Default Navbar

Brand
[Active](#)
[Link](#)
[Dropdown](#)

[Link](#)
[Dropdown](#)

```
<div class="navbar navbar-default"> <div class="container"> <div class="navbar-header"> <button
type="button" class="navbar-toggle" data-toggle="collapse" data-target=".navbar-responsive-
collapse"> <span class="icon-bar"></span> <span class="icon-bar"></span> <span class="icon-
bar"></span> </button> <a class="navbar-brand" href="#">Brand</a> </div> <div class="navbar-
collapse collapse navbar-responsive-collapse"> <ul class="nav navbar-nav"> <li class="active"><a
href="#">Active</a></li> <li><a href="#">Link</a></li> <li class="dropdown"> <a href="#"
class="dropdown-toggle" data-toggle="dropdown">Dropdown <b class="caret"></b></a> <ul
class="dropdown-menu"> <li><a href="#">Action</a></li> <li><a href="#">Another
action</a></li> <li><a href="#">Something else here</a></li> <li class="divider"></li> <li
class="dropdown-header">Dropdown header</li> <li><a href="#">Separated link</a></li> <li><a
href="#">One more separated link</a></li> </ul> </li> </ul> <form class="navbar-form navbar-
left"> <input type="text" class="form-control col-xs-8" placeholder="Search"> </form> <ul
class="nav navbar-nav navbar-right"> <li><a href="#">Link</a></li> <li class="dropdown"> <a
href="#" class="dropdown-toggle" data-toggle="dropdown">Dropdown <b class="caret"></b></a>
<ul class="dropdown-menu"> <li><a href="#">Action</a></li> <li><a href="#">Another
action</a></li> <li><a href="#">Something else here</a></li> <li class="divider"></li> <li><a
href="#">Separated link</a></li> </ul> </li> </ul> </div><!-- /.nav-collapse --> </div><!--
/.container --> </div><!-- /.navbar -->
```

Bootstrap Inverse Navbar

Brand
[Active](#)
[Link](#)
[Dropdown](#)

```
<div class="navbar navbar-inverse"> <div class="container"> <div class="navbar-header"> <button
type="button" class="navbar-toggle" data-toggle="collapse" data-target=".navbar-inverse-collapse">
<span class="icon-bar"></span> <span class="icon-bar"></span> <span class="icon-bar"></span>
</button> <a class="navbar-brand" href="#">Brand</a> </div> <div class="navbar-collapse
collapse navbar-inverse-collapse"> <ul class="nav navbar-nav"> <li class="active"><a
href="#">Active</a></li> <li><a href="#">Link</a></li> <li class="dropdown"> <a href="#"
class="dropdown-toggle" data-toggle="dropdown">Dropdown <b class="caret"></b></a> <ul
class="dropdown-menu"> <li><a href="#">Action</a></li> <li><a href="#">Another
action</a></li> <li><a href="#">Something else here</a></li> <li class="divider"></li> <li
class="dropdown-header">Dropdown header</li> <li><a href="#">Separated link</a></li> <li><a
href="#">One more separated link</a></li> </ul> </li> </ul> <form class="navbar-form navbar-
left"> <input type="text" class="form-control col-xs-8" placeholder="Search"> </form> <ul
class="nav navbar-nav navbar-right"> <li><a href="#">Link</a></li> <li class="dropdown"> <a
href="#" class="dropdown-toggle" data-toggle="dropdown">Dropdown <b class="caret"></b></a>
<ul class="dropdown-menu"> <li><a href="#">Action</a></li> <li><a href="#">Another
action</a></li> <li><a href="#">Something else here</a></li> <li class="divider"></li> <li><a
href="#">Separated link</a></li> </ul> </li> </ul> </div><!-- /.nav-collapse --> </div><!--
/.container --> </div><!-- /.navbar -->
```

Tiki Menu (bootstrap=navbar)

Home Page

Tiki Customization

Feature Examples

```
{module module="menu" id="47" type="horiz" nobox="y" bootstrap="navbar"}
```

Tiki Menu (bootstrap=basic)

Home Page

Tiki Customization

Feature Examples

```
{module module="menu" id="47" type="horiz" nobox="y" bootstrap="basic"}
```


Tasks (TBD):

- The menu system is to be converted to use this navbar - partially done (LPH)
- The search module needs to take the bootstrap classes
- Right now the search functionality is a separate module and is not integrated into the menu itself? Do we integrate it? We can envisage a new navbar module that nests menus and also the search, and also the "Brand" (which is something that does not exist in Tiki).
The original Bootstrap Navbar has a title with link and can nest two menus, a searchbar and maybe arbitrary (smarty plugins?) elements.
Thus it should be rather better to write a new "Module Navbar" instead of recoding the "Module Menu" (not referring to the "smarty plugin/function menu").

Issues

- Responsive functionallity only works until breakpoint - the Tiki menu does not have all the elements

which are required for the responsive bootstrap navbar.

- Input placeholder does not work in IE9 and older. see <http://stackoverflow.com/questions/13270219/placeholders-are-not-displaying-in-ie8-for-bootstrap>  This affects the search bar default text...
- Right now, it is hardcoded that the menu module to use bootstrap=basic by position (left) and the topbar (bootstrap=navbar). This is just temporary implementation.
 - Need better sensible defaulting, if bootstrap is on, it should be everywhere bootstrap.
 - The different options for bootstrap variable need to be easily settable somewhere basic or navbar.
 - Consider what happens if css=y is set, a lot of sites have this as they used the CSS (suckerfish) menus before- what is the smoothest upgrade? backward support vs replace with bootstrap completely? What about the old menus that have the little folder icon?
- There does not seem to be any default boxing styles for menu items right now, is this correct? Perhaps it is intentional as the style might be defined based on the container of the menu, not the menu itself.

Standard Buttons

Default Primary Success Info Warning Danger Link

```
<div class="bs-example"> <p> <button type="button" class="btn btn-default">Default</button>
<button type="button" class="btn btn-primary">Primary</button> <button type="button" class="btn
btn-success">Success</button> <button type="button" class="btn btn-info">Info</button> <button
type="button" class="btn btn-warning">Warning</button> <button type="button" class="btn btn-
danger">Danger</button> <button type="button" class="btn btn-link">Link</button> </p> </div>
```

Default Primary Success Info Warning Danger Link

```
{button href="#" _class="btn btn-default" _text="Default"} {button href="#" _class="btn btn-
primary" _text="Primary"} {button href="#" _class="btn btn-success" _text="Success"} {button
href="#" _class="btn btn-info" _text="Info"} {button href="#" class="btn btn-warning"
_text="Warning"} {button href="#" _class="btn btn-danger" _text="Danger"} {button href="#"
_class="btn btn-link" _text="Link"}
```

Tasks

Issues

- In tiki we don't really use the btn-primary, btn-success, btn-info etc...
- Shouldn't the button plugin automatically add in the btn classes instead of needing to add them?

Disabled Buttons

Default Primary Success Info Warning Danger Link

```
<div class="bs-example"> <p> <button type="button" class="btn btn-default
disabled">Default</button> <button type="button" class="btn btn-primary
disabled">Primary</button> <button type="button" class="btn btn-success
disabled">Success</button> <button type="button" class="btn btn-info disabled">Info</button>
<button type="button" class="btn btn-warning disabled">Warning</button> <button type="button"
class="btn btn-danger disabled">Danger</button> <button type="button" class="btn btn-link
disabled">Link</button> </p> </div>
```

Default Primary Success Info Warning Danger Link

```
{button href="#" _class="btn btn-default disabled" _text="Default"} {button href="#" _class="btn  
btn-primary disabled" _text="Primary"} {button href="#" _class="btn btn-success disabled"  
_text="Success"} {button href="#" _class="btn btn-info disabled" _text="Info"} {button href="#"  
_class="btn btn-warning disabled" _text="Warning"} {button href="#" _class="btn btn-danger  
disabled" _text="Danger"} {button href="#" _class="btn btn-link disabled" _text="Link"}
```

Tasks

- Disabled class needs to be used instead of how Tiki does it now

Issues

Drop down buttons

Default

Primary

Success

Info

Warning

```
<div class="bs-example" style="margin-bottom: 15px;"> <div class="btn-toolbar" style="margin: 0;">  
<div class="btn-group"> <button type="button" class="btn btn-default">Default</button> <button  
type="button" class="btn btn-default dropdown-toggle" data-toggle="dropdown"><span  
class="caret"></span></button> <ul class="dropdown-menu"> <li><a href="#">Action</a></li>  
<li><a href="#">Another action</a></li> <li><a href="#">Something else here</a></li> <li  
class="divider"></li> <li><a href="#">Separated link</a></li> </ul> </div><!-- /btn-group -->  
<div class="btn-group"> <button type="button" class="btn btn-primary">Primary</button> <button  
type="button" class="btn btn-primary dropdown-toggle" data-toggle="dropdown"><span  
class="caret"></span></button> <ul class="dropdown-menu"> <li><a href="#">Action</a></li>  
<li><a href="#">Another action</a></li> <li><a href="#">Something else here</a></li> <li  
class="divider"></li> <li><a href="#">Separated link</a></li> </ul> </div><!-- /btn-group -->  
<div class="btn-group"> <button type="button" class="btn btn-success">Success</button> <button  
type="button" class="btn btn-success dropdown-toggle" data-toggle="dropdown"><span  
class="caret"></span></button> <ul class="dropdown-menu"> <li><a href="#">Action</a></li>  
<li><a href="#">Another action</a></li> <li><a href="#">Something else here</a></li> <li  
class="divider"></li> <li><a href="#">Separated link</a></li> </ul> </div><!-- /btn-group -->  
<div class="btn-group"> <button type="button" class="btn btn-info">Info</button> <button  
type="button" class="btn btn-info dropdown-toggle" data-toggle="dropdown"><span  
class="caret"></span></button> <ul class="dropdown-menu"> <li><a href="#">Action</a></li>  
<li><a href="#">Another action</a></li> <li><a href="#">Something else here</a></li> <li  
class="divider"></li> <li><a href="#">Separated link</a></li> </ul> </div><!-- /btn-group -->  
<div class="btn-group"> <button type="button" class="btn btn-warning">Warning</button> <button  
type="button" class="btn btn-warning dropdown-toggle" data-toggle="dropdown"><span  
class="caret"></span></button> <ul class="dropdown-menu"> <li><a href="#">Action</a></li>  
<li><a href="#">Another action</a></li> <li><a href="#">Something else here</a></li> <li  
class="divider"></li> <li><a href="#">Separated link</a></li> </ul> </div><!-- /btn-group -->  
</div><!-- /btn-toolbar --> </div>
```

Tasks

Issues

- We have jquery chosen which is really good for dropdowns. What then are bootstrap drop down buttons good for? More likely it is a good way to group buttons into one (for reasons of usability). This would be an extension of the smarty button plugin which is what the wikiplugin_button calls...

Button size

Large button Default button Small button Mini button

Tasks

- Whenever buttons are larger or smaller we should be using these classes in Tiki

Issues

Block Level Button

Block level button

```
<div class="bs-example"> <p> <button type="button" class="btn btn-default btn-lg btn-block">Block  
level button</button> </p> </div>
```

Tasks

Issues

Button Groups

Left Right Middle

1 2 3 4

5 6 7

8

Dropdown

Button Button Button Button

```
<div class="bs-example" style="margin-bottom: 15px;"> <div class="btn-group btn-group-justified">  
<a href="#" class="btn btn-default">Left</a> <a href="#" class="btn btn-default">Right</a> <a  
href="#" class="btn btn-default">Middle</a> </div> </div> <div class="bs-example" style="margin-  
bottom: 15px;"> <div class="btn-toolbar"> <div class="btn-group"> <button type="button"  
class="btn btn-default">1</button> <button type="button" class="btn btn-default">2</button>  
<button type="button" class="btn btn-default">3</button> <button type="button" class="btn btn-  
default">4</button> </div> <div class="btn-group"> <button type="button" class="btn btn-  
default">5</button> <button type="button" class="btn btn-default">6</button> <button  
type="button" class="btn btn-default">7</button> </div> <div class="btn-group"> <button  
type="button" class="btn btn-default">8</button> <div class="btn-group"> <button type="button"  
class="btn btn-default dropdown-toggle" data-toggle="dropdown"> Dropdown <span  
class="caret"></span> </button> <ul class="dropdown-menu"> <li><a href="#">Dropdown  
link</a></li> <li><a href="#">Dropdown link</a></li> <li><a href="#">Dropdown link</a></li>  
</ul> </div> </div> </div> </div> <div class="bs-example"> <div class="btn-group-vertical">  
<button type="button" class="btn btn-default">Button</button> <button type="button" class="btn  
btn-default">Button</button> <button type="button" class="btn btn-default">Button</button>  
<button type="button" class="btn btn-default">Button</button> </div> </div>
```

Tasks

- Groups of buttons displayed should have enclosing div classes as above.

```
{button href="#" _class="btn btn-default" _text="Button"}
```

Typography

Heading 1
Heading 2
Heading 3
Heading 4
Heading 5
Heading 6
Vivamus sagittis lacus
vel augue laoreet
rutrum faucibus dolor
auctor.

Example body text	Emphasis classes
Nullam quis risus eget urna mollis ornare vel eu leo. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Nullam id dolor id nibh ultricies vehicula.	Fusce dapibus, tellus ac cursus commodo, tortor mauris nibh. Nullam id dolor id nibh ultricies vehicula ut id elit. Etiam porta sem malesuada magna mollis euismod. Donec ullamcorper nulla non metus auctor fringilla. Duis mollis, est non commodo luctus, nisi erat porttitor ligula. Maecenas sed diam eget risus varius blandit sit amet non magna.
This line of text is meant to be treated as fine print.	
The following snippet of text is rendered as bold text .	
The following snippet of text is <i>rendered as italicized text</i> .	
An abbreviation of the word attribute is <code>attr</code> .	

```
<!-- Typography ===== -->
<div class="bs-docs-section">
  <div class="row">
    <div class="col-xs-12">
      <div class="page-header">
        <h1 id="type">Typography</h1>
      </div>
    </div>
  </div>
  <!-- Headings -->
  <div class="row">
    <div class="col-xs-4">
      <div class="bs-example bs-example-type">
        <h1>Heading 1</h1>
        <h2>Heading 2</h2>
        <h3>Heading 3</h3>
        <h4>Heading 4</h4>
        <h5>Heading 5</h5>
        <h6>Heading 6</h6>
      </div>
      <div class="bs-example">
        <p class="lead">Vivamus sagittis lacus vel augue laoreet rutrum faucibus dolor auctor.</p>
      </div>
    </div>
    <div class="col-xs-4">
      <div class="bs-example">
        <h2>Example body text</h2>
        <p>Nullam quis risus eget <a href="#">urna mollis ornare</a> vel eu leo. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Nullam id dolor id nibh ultricies vehicula.</p>
        <p><small>This line of text is meant to be treated as fine print.</small></p>
        <p>The following snippet of text is <strong>rendered as bold text</strong>.</p>
        <p>The following snippet of text is <em>rendered as italicized text</em>.</p>
        <p>An abbreviation of the word attribute is <abbr title="attribute">attr</abbr>.</p>
      </div>
    </div>
  </div>
  <div class="col-xs-4">
    <h2>Emphasis classes</h2>
    <div class="bs-example">
      <p class="text-muted">Fusce dapibus, tellus ac cursus commodo, tortor mauris nibh.</p>
      <p class="text-primary">Nullam id dolor id nibh ultricies vehicula ut id elit.</p>
      <p class="text-warning">Etiam porta sem malesuada magna mollis euismod.</p>
      <p class="text-danger">Donec ullamcorper nulla non metus auctor fringilla.</p>
      <p class="text-success">Duis mollis, est non commodo luctus, nisi erat porttitor ligula.</p>
      <p class="text-info">Maecenas sed diam eget risus varius blandit sit amet non magna.</p>
    </div>
  </div>
</div>
```

```
</div> </div>
```

Tasks

- What are we going to do with the SPLIT plugin? Rewrite it to use bootstrap columns to be able to specify grid width?

Issues

- Just thinking about the remarks box, or in general other situations, maybe to use "text-muted" "text-primary"

"text-warning" "text-danger" "text-success""text-info"?

Tables

#	Column heading	Column heading	Column heading
1	Column content	Column content	Column content
2	Column content	Column content	Column content
3	Column content	Column content	Column content
4	Column content	Column content	Column content
5	Column content	Column content	Column content
6	Column content	Column content	Column content
7	Column content	Column content	Column content

Forms

Legend

Email

Password

Checkbox

Textarea

A longer block of help text that breaks onto a new line and may extend beyond one line.

Radios

☉Option one is this

◯Option two can be something else

Selects

1▼

1▼

Cancel Submit

Focused input

This is focused...

Disabled input

Input warning

Input error

Input success

Large input

Default input

Small input

Input addons

\$

Button

Tasks

- Nested tabs seem not to work. Not sure if it is just not possible or if there is something that we can do to make it work. See `tiki-list_object_permissions.php`

Issues

Navs

 Tabs

[Home](#)
[Profile](#)
Disabled
[Dropdown](#)

Raw denim you probably haven't heard of them jean shorts Austin. Nesciunt tofu stumptown aliqua, retro synth master cleanse. Mustache cliche tempor, williamsburg carles vegan helvetica. Reprehenderit butcher retro keffiyeh dreamcatcher synth. Cosby sweater eu banh mi, qui irure terry richardson ex squid. Aliquip placeat salvia cillum iphone. Seitan aliquip quis cardigan american apparel, butcher voluptate nisi qui.

Food truck fixie locavore, accusamus mcsweeney's marfa nulla single-origin coffee squid. Exercitation +1 labore velit, blog sartorial PBR leggings next level wes anderson artisan four loko farm-to-table craft beer twee. Qui photo booth letterpress, commodo enim craft beer mlkshk aliquip jean shorts ullamco ad vinyl cillum PBR. Homo nostrud organic, assumenda labore aesthetic magna delectus mollit.

Etsy mixtape wayfarers, ethical wes anderson tofu before they sold out mcsweeney's organic lomo retro fanny pack lo-fi farm-to-

 Pills

[Home](#)
[Profile](#)
[Disabled](#)
[Dropdown](#)

[Home](#)
[Profile](#)
[Disabled](#)
[Dropdown](#)

 Breadcrumbs

[Home](#)
[Home](#)
[Library](#)
[Home](#)
[Library](#)
[Data](#)

table readymade. Messenger
bag gentrify pitchfork
tattooed craft beer, iphone
skateboard locavore carles
etsy salvia banksy hoodie
helvetica. DIY synth PBR
banksy irony. Leggings
gentrify squid 8-bit cred
pitchfork.

Trust fund seitan letterpress,
keytar raw denim keffiyeh
etsy art party before they
sold out master cleanse
gluten-free squid scenester
freegan cosby sweater. Fanny
pack portland seitan DIY, art
party locavore wolf cliché
high life echo park Austin.
Cred vinyl keffiyeh DIY salvia
PBR, banh mi before they
sold out farm-to-table VHS
viral locavore cosby sweater.

Pagination

«
1
2
3
4
5
»

«
1
2
3
»

«
1
2
3
4
5
»

Pager

- [Previous](#)
- [Next](#)
- [← Older](#)
- [Newer →](#)

Alerts and Labels

Labels

Default Primary Success
Warning Danger Info

```
<div class="alert alert-dismissable alert-warning"> <button  
type="button" class="close" data-dismiss="alert">&times;</button>  
<h4>Warning!</h4> <p>Best check yo self, you're not looking too good.
```

Nulla vitae elit libero, a pharetra augue. Praesent commodo cursus magna, [vel scelerisque nisl consectetur et](#).

×**Oh snap!** [Change a few things up](#) and try submitting again.

×**Well done!** You successfully read [this important alert message](#).

×**Heads up!** This [alert](#) needs your attention, but it's not super important.

Labels

Default Primary Success Warning Danger Info

Tasks

The different types of Tiki remarks boxes should use Bootstrap approach. (Looks done? To check)

Issues

Tiki Remarks Boxes

{REMARKSBOX(type="comment" title="Comment")}Best check yo self, you're not looking too good. Nulla vitae elit libero, a pharetra augue. Praesent commodo cursus magna, [vel scelerisque nisl consectetur et](#).{REMARKSBOX}

{REMARKSBOX(type="confirm" title="Confirm")}Best check yo self, you're not looking too good. Nulla vitae elit libero, a pharetra augue. Praesent commodo cursus magna, [vel scelerisque nisl consectetur et](#).{REMARKSBOX}

{REMARKSBOX(type="errors" title="Error")}Best check yo self, you're not looking too good. Nulla vitae elit libero, a pharetra augue. Praesent commodo cursus magna, [vel scelerisque nisl consectetur et](#).{REMARKSBOX}

{REMARKSBOX(type="information" title="Info")}Best check yo self, you're not looking too good. Nulla vitae elit libero, a pharetra augue. Praesent commodo cursus magna, [vel scelerisque nisl consectetur et](#).{REMARKSBOX}

{REMARKSBOX(type="note" title="Note")}Best check yo self, you're not looking too good. Nulla vitae elit libero, a pharetra augue. Praesent commodo cursus magna, [vel](#)

Badges

Home 42

Profile

Messages 3

```
<div class="bs-example"> <ul class="nav nav-pills"> <li class="active"><a href="#">Home <span
class="badge">42</span></a></li> <li><a href="#">Profile <span
class="badge"></span></a></li> <li><a href="#">Messages <span
class="badge">3</span></a></li> </ul> </div>
```

Tasks

- In some places like the messaging feature it should use this badge. There are few but should be some around Tiki.

Issues

Progress bars

Basic

Contextual alternatives

Striped

Animated

Stacked

Containers

Jumbotron

This is a simple hero unit, a simple jumbotron-style component for calling extra attention to featured content or information.

Learn more

List groups

<ul style="list-style-type: none">• 14 Cras justo odio• 2 Dapibus ac facilisis in• 1 Morbi leo risus	Cras justo odio Dapibus ac facilisis in Morbi leo risus	List group item heading Donec id elit non mi porta gravida at eget metus. Maecenas sed diam eget risus varius blandit.
		List group item heading Donec id elit non mi porta gravida at eget metus. Maecenas sed diam eget risus varius blandit.

Panels

Basic panel

Panel heading
Panel content
Panel content
Panel footer

Panel primary
Panel content
Panel success
Panel content
Panel warning
Panel content

Panel danger
Panel content
Panel info
Panel content

Wells

Look, I'm in a well!

Look, I'm in a small well!

Look, I'm in a large well!