

At Tiki.org :
Project
Software
Try Tiki
Get Tiki
Help
Get Involved
News
Featured Tikis
Register!



Themes
Log in
Home Page
Tiki Customization
Feature Examples

Find
Bootstrap Components Buttons
Standard Buttons
Default Primary Success Info Warning Danger Link

```
<div class="bs-example"> <p> <button type="button" class="btn btn-default">Default</button>
<button type="button" class="btn btn-primary">Primary</button> <button type="button" class="btn
btn-success">Success</button> <button type="button" class="btn btn-info">Info</button> <button
type="button" class="btn btn-warning">Warning</button> <button type="button" class="btn btn-
danger">Danger</button> <button type="button" class="btn btn-link">Link</button> </p> </div>
```

Default Primary Success Info Warning Danger Link

```
{button href="#" _class="btn btn-default" _text="Default"} {button href="#" _class="btn btn-
primary" _text="Primary"} {button href="#" _class="btn btn-success" _text="Success"} {button
href="#" _class="btn btn-info" _text="Info"} {button href="#" class="btn btn-warning"
_text="Warning"} {button href="#" _class="btn btn-danger" _text="Danger"} {button href="#"
_class="btn btn-link" _text="Link"}
```

Tasks
Issues

- In tiki we don't really use the btn-primary, btn-success, btn-info etc...
- Shouldn't the button plugin automatically add in the btn classes instead of needing to add them?

Disabled Buttons
Default Primary Success Info Warning Danger Link

```
<div class="bs-example"> <p> <button type="button" class="btn btn-default
disabled">Default</button> <button type="button" class="btn btn-primary
disabled">Primary</button> <button type="button" class="btn btn-success
disabled">Success</button> <button type="button" class="btn btn-info disabled">Info</button>
```

```
<button type="button" class="btn btn-warning disabled">Warning</button> <button type="button"
class="btn btn-danger disabled">Danger</button> <button type="button" class="btn btn-link
disabled">Link</button> </p> </div>
```

Default Primary Success Info
Warning Danger Link

```
{button href="#" _class="btn btn-default disabled" _text="Default"} {button href="#" _class="btn
btn-primary disabled" _text="Primary"} {button href="#" _class="btn btn-success disabled"
_text="Success"} {button href="#" _class="btn btn-info disabled" _text="Info"} {button href="#"
_class="btn btn-warning disabled" _text="Warning"} {button href="#" _class="btn btn-danger
disabled" _text="Danger"} {button href="#" _class="btn btn-link disabled" _text="Link"}
```

Tasks

- Disabled class needs to be used instead of how Tiki does it now

Issues

Drop down buttons

Default

Primary

Success

Info

Warning

```
<div class="bs-example" style="margin-bottom: 15px;"> <div class="btn-toolbar" style="margin: 0;">
<div class="btn-group"> <button type="button" class="btn btn-default">Default</button> <button
type="button" class="btn btn-default dropdown-toggle" data-toggle="dropdown"><span
class="caret"></span></button> <ul class="dropdown-menu"> <li><a href="#">Action</a></li>
<li><a href="#">Another action</a></li> <li><a href="#">Something else here</a></li> <li
class="divider"></li> <li><a href="#">Separated link</a></li> </ul> </div><!-- /btn-group -->
<div class="btn-group"> <button type="button" class="btn btn-primary">Primary</button> <button
type="button" class="btn btn-primary dropdown-toggle" data-toggle="dropdown"><span
class="caret"></span></button> <ul class="dropdown-menu"> <li><a href="#">Action</a></li>
<li><a href="#">Another action</a></li> <li><a href="#">Something else here</a></li> <li
class="divider"></li> <li><a href="#">Separated link</a></li> </ul> </div><!-- /btn-group -->
<div class="btn-group"> <button type="button" class="btn btn-success">Success</button> <button
type="button" class="btn btn-success dropdown-toggle" data-toggle="dropdown"><span
class="caret"></span></button> <ul class="dropdown-menu"> <li><a href="#">Action</a></li>
<li><a href="#">Another action</a></li> <li><a href="#">Something else here</a></li> <li
class="divider"></li> <li><a href="#">Separated link</a></li> </ul> </div><!-- /btn-group -->
<div class="btn-group"> <button type="button" class="btn btn-info">Info</button> <button
type="button" class="btn btn-info dropdown-toggle" data-toggle="dropdown"><span
class="caret"></span></button> <ul class="dropdown-menu"> <li><a href="#">Action</a></li>
<li><a href="#">Another action</a></li> <li><a href="#">Something else here</a></li> <li
class="divider"></li> <li><a href="#">Separated link</a></li> </ul> </div><!-- /btn-group -->
<div class="btn-group"> <button type="button" class="btn btn-warning">Warning</button> <button
type="button" class="btn btn-warning dropdown-toggle" data-toggle="dropdown"><span
class="caret"></span></button> <ul class="dropdown-menu"> <li><a href="#">Action</a></li>
<li><a href="#">Another action</a></li> <li><a href="#">Something else here</a></li> <li
```

```
class="divider"></li> <li><a href="#">Separated link</a></li> </ul> </div><!-- /btn-group -->
</div><!-- /btn-toolbar --> </div>
```

Tasks

Issues

- We have jquery chosen which is really good for dropdowns. What then are bootstrap drop down buttons good for? More likely it is a good way to group buttons into one (for reasons of usability). This would be an extension of the smarty button plugin which is what the wikiplugin_button calls...

Button size

Large button Default button Small button Mini button

Tasks

- Whenever buttons are larger or smaller we should be using these classes in Tiki

Issues

Block Level Button

Block level button

```
<div class="bs-example"> <p> <button type="button" class="btn btn-default btn-lg btn-block">Block
level button</button> </p> </div>
```

Tasks

Issues

Button Groups

Left Right Middle

1 2 3 4

5 6 7

8

Dropdown

Button Button Button Button

```
<div class="bs-example" style="margin-bottom: 15px;"> <div class="btn-group btn-group-justified">
<a href="#" class="btn btn-default">Left</a> <a href="#" class="btn btn-default">Right</a> <a
href="#" class="btn btn-default">Middle</a> </div> </div> <div class="bs-example" style="margin-
bottom: 15px;"> <div class="btn-toolbar"> <div class="btn-group"> <button type="button"
class="btn btn-default">1</button> <button type="button" class="btn btn-default">2</button>
<button type="button" class="btn btn-default">3</button> <button type="button" class="btn btn-
default">4</button> </div> <div class="btn-group"> <button type="button" class="btn btn-
default">5</button> <button type="button" class="btn btn-default">6</button> <button
type="button" class="btn btn-default">7</button> </div> <div class="btn-group"> <button
type="button" class="btn btn-default">8</button> <div class="btn-group"> <button type="button"
class="btn btn-default dropdown-toggle" data-toggle="dropdown"> Dropdown <span
class="caret"></span> </button> <ul class="dropdown-menu"> <li><a href="#">Dropdown
link</a></li> <li><a href="#">Dropdown link</a></li> <li><a href="#">Dropdown link</a></li>
</ul> </div> </div> </div> </div> <div class="bs-example"> <div class="btn-group-vertical">
<button type="button" class="btn btn-default">Button</button> <button type="button" class="btn
btn-default">Button</button> <button type="button" class="btn btn-default">Button</button>
<button type="button" class="btn btn-default">Button</button> </div> </div>
```

Tasks

- Groups of buttons displayed should have enclosing div classes as above.

Issues

Tiki Buttons

Button

```
{button href="#" _class="btn btn-default" _text="Button"}
```