

Project
Software
Get / Try Tiki
Help
Get Involved
News

Log in

Home Page
Tiki Customization
Feature Examples

Find

CssStylesDev

(Mirror of <http://tikiwiki.org/tiki-index.php?page=CssStylesDev> - Should probably be relocated to here.)

Overview

This page describes all used/defined CSS entities. Theme makers can use this page as the **TikiWiki styles reference guide** 😊. Of course all developers must pay attention to update this page if something is changed. And theme makers can subscribe to be notified on page changes... 😊

Btw, when style for link is defined of course other *pseudo classes* can (and should 😊) be used/defined too.

Table Of Contents

Table of contents

- [Overview](#)
- [Table Of Contents](#)
- [TikiWiki 1.9 Readiness](#)
- [See also](#)
- [General Layout Styles](#)
 - [Boxes](#)
 - [Menus](#)
 - [Tables](#)
- [Wiki Page](#)
- [Wiki list](#)
- [File gals](#)
- [Image gals](#)
- [List blogs](#)
- [List articles](#)
- [Articles Home](#)

- [List forums](#)
- [FAQs](#)
- [Calendar](#)
- ...
 - [P.S.](#)

TikiWiki 1.9 Readiness

The following is a, probably incomplete, list of changes needed to make earlier themes ready for TikiWiki 1.9

- ReleaseProcess19 lists the new CSS classes added during the Tiki 1.9 development cycle.
- Themes that have a local copy of module.tpl or mod-*.tpl: designers should perform a merge with parent to pick up changes to module parameters. See ShowHideModulesAndColumns and cvs commits to BRANCH-1-9 by mdavey starting 2005-02-23.
- Themes that have a local copy of tiki.tpl: designers should perform a merge with parent to pick up changes to feature_left_modules and feature_right_modules tests. See ShowHideModulesAndColumns and cvs commits to BRANCH-1-9 by mdavey starting 2005-02-25.
- Themes that have a local copy of tiki-show_page.tpl: designers should perform a merge with parent to pick up changes to the editdate (authors and date line) section.
- Finally, add the line "@version: 1.9" into the comments at the top of the stylesheet (within the first 30 lines) once every new CSS class introduced in 1.9 has been added to the stylesheet.

See also

- [MoreNeatLayoutSchema](#)
- [ReleaseProcess19](#)
- [StyleCreation](#)
- [Color Scheme Generator](#)
- [RecipeRestoreCss](#) - tool to list CSS entities

General Layout Styles

The tiki application is enclosed as a whole in `tiki-main`. `tiki-main` contains three divs: `tiki-top`, `tiki-mid` and `tiki-bot` that will be used for the header, application and footer.

`tiki-mid` contains a 3-column table, the columns are called (ids) `leftcolumn`, `centercolumn` and `rightcolumn`. Finally `centercolumn` contains `tiki-center` where the main area of the application is displayed.

CSS code	Description
<code>--div#tiki-main--</code>	This div encloses the whole Tiki application
3 divs inside tiki-main	
<code>--div#tiki-top--</code>	This is the header
<code>--div#tiki-mid--</code>	This is the middle
<code>--div#tiki-bot--</code>	And this is the footer

The three columns inside tiki-mid

-+td#leftcolumn+-

-+td#rightcolumn+-

-+td#centercolumn+-

The central div inside centercolumn

-+div#tiki-center+-

Boxes

Boxes are used to present a box with a title bar and content, they are used for modules and they are also used in the rankings, admin screen, `{-+BOX+-}` wiki plugin etc.

The box class is used for modules while the cbox class is used for other boxes. (*what other boxes??*). Simple box generated by wiki syntax.

CSS code	Description
<i>Box used in module</i>	
div.box	Boxes used for modules: They are divided into title and data.
div.box-title	Modules boxes title
div.box-data	Modules boxes data
td.module	When modules display a numbered list of items each item is enclosed in a cell with the following style (included in div.box-data)
.linkmodule	Links in modules
<i>Box not used in module</i>	
div.cbox	Boxes not used for modules: They are divided into title and data.
div.cbox-title	Title of boxes not used in modules
div.cbox-data	Data of boxes not used in modules
.cboxtlink	Links in the title of boxes not used in modules
<i>Box in box not used in module</i>	
div.simplebox	a box with a margin and a border (ex: in user preferences)

Menus

CSS code	Description
div.separator	Extendable menu line(included in div.box-data)
.linkmenu	Link in menu line
.separator	Link in menu line that can expand
.flip	Link in the box-title if the menu can be flipped

Tables

Wiki Page

CSS code	Description
div.wikitext	box where the wiki page text is displayed
page-bar	page bar where the actions are displayed ("history", "edit",.....)
div.button2	button in the page bar
linkbut	link in button2

Wiki list

CSS code	Description
.normal	table containing the articles list
td.heading	table heading cell
td.even, td.odd	cell

File gals

CSS code	Description
.normal	table containing the articles list
td.heading	table heading cell
td.even, td.odd	cell

Image gals

CSS code	Description
.normal	table containing the articles list
td.heading	table heading cell
td.even, td.odd	cell

List blogs

CSS code	Description
.bloglist	table containing the blogs list
td.bloglistheading	table heading cell
td.bloglistnameeven, td.bloglistnameodd	blog name cell

td.bloglistdescriptioneven, td.bloglistdescriptionodd	blog description cell
...	...

List articles

CSS code	Description
.normal	table containing the articles list
td.heading	table heading cell
td.even, td.odd	cell

Articles Home

CSS code	Description
div.articletitle	title
div.titlea	main title
div.titleb	sub title
div.articleheading	
div.articletrailer	

List forums

CSS code	Description
.forumstable	table containing the forums list
td.forumheading	table heading cell
td.forumstableeven, td.forumstableodd	forum name cell
td.forumstableinfoeven, .forumstableinfoodd	forum information cell

FAQs

CSS code	Description
.normal	table containing the articles list
td.heading	table heading cell
td.even	cell

Calendar

.Cal0, .Cal1, .Cal2	Used for status : 0 = unconfirmed, 1 = confirmed, 2 = cancelled / note that the usage of the :before pseudo-class maybe not supported by old browsers
.caltitle	No idea what it is
.caltab, a.caltab and a.caltab:hover	Tabs and included link when unactive
.caltabon, a.caltabon and a.caltabon:hover	Tabs and included links when that tab is active
div#tab, div#tabcal, div#tabnav, div.tabcal, div.tabnav	Look for the content of tabs zone (beetween buttons and the calendar)
.calcheckbox	Style for checkbox div. Background-color is required, even if set to 'none'.
.caltoggle	Style for the 'check / uncheck all' checkbox
div#opaque	used for the div used around overlib, in case div.box has no background defined (mainly used in boreal and matrix)
.calfocus, .calfocus a, .calfocuson, .calfocuson a	styles for title of each days, with .calfocuson when the focus is on that day
.Calwiki, .Calwiki a, .Calwiki:before and same families for .Calblog, .Calgal, .Calart, .Calforum, .Caldir, .Calgal, .Calfaq, .Calquiz, .Caltrack, .Calsurv, .Calnl, .Caleph, .Calchart	One style and family of pseudo classes for each tiki-item.
.viewmodeon, .viewmodeoff	Style of the links to change mode (week, month)
.calweb	The look for the small "w" that appears when there is anurl on the event
.calprio1 to .calprio9	Reproduced the 9 levels from sourceforge for priorities
mose	

...

P.S.

Please continue this page...

"tw.o credits: Contributors to this page: mdavey , bapajan , ohertel , sylvie , bpfaffenberger and marclaporte .
Page last modified on Sunday 24 April, 2005 [13:19:28 UTC](#) by mdavey."